















## Optional Equipment for



## SAFE Tank ST 400 KTC

	Description	Order No.
	Painted finish	1924
	Fleece cover on internal roof side	1916
	Ventilation slots	1906
	Crane eyes for empty transport	1111
	Aluminium roller shutter 1800 mm instead of standard door	1131
	Anti-theft device for double door 1800 mm	1121
	Disc lock for anti-theft device (2 pcs necessary)	5921
	Electrical installation <b>A</b> for <b>non-flammable material</b> consisting of: fuse box IP 44 with circuit breaker, 1 wall lamp, light switch, 1 shockproof socket and connection for potential equalisation	1160
	Electrical installation <b>B</b> for <b>non-flammable materials</b> consisting of: on-wall-installation with cable duct, fuse box with circuit breaker, light switch, 1 shockproof socket, 1 linear fluorescent luminaire, connection for potential equalisation, all external components IP 44	2405
	Electrical installation for <b>passive storage</b> consisting of: 1 explosion-protected wall lamp, light switch, 1 shockproof socket and fuse box with circuit breaker, connection for potential equalisation, on-wall-installation, all external components IP 44	51988
	Electrical installation <b>A</b> for <b>active storage</b> consisting of: 1 explosion-protected wall lamp, light switch, 1 shockproof socket and fuse box with circuit breaker, connection for potential equalisation, on-wall-installation, all external components IP 44	1988
	Electrical installation <b>B</b> for <b>active storage</b> consisting of: 1 explosion-protected linear fluorescent luminaire, light switch, 1 shockproof socket and fuse box with circuit breaker, connection for potential equalisation, on-wall-installation, all external components IP 44	21988
	IBC container filling stand for easy filling from IBC containers into small cans, incl. storage grids for filling cans	8381
	Drum frame FB 1, galvanised, for 1 drum 50/60 l or 200 l	8139

### SÄBU Morsbach GmbH

Zum Systembau 1  
Phone: +49 (2294) 694-0  
E-Mail: info@saebu.de

D-51597 Morsbach-Schlechtingen  
Fax: +49 (2294) 694-38  
Internet: www.saebu.de















This document is protected by copyright.  
Duplication, also of excerpts, is only allowed with  
explicit consent of SÄBU Morsbach GmbH.

Subject to technical changes.

## Optional Equipment for



## SAFE Tank ST 400 KTC

	Drum frame FB 2, galvanised, for 3 drums 50/60 l or 2 drums 200 l	8132
	Stacking frame STRG, galvanised steel profile construction, suitable for 2 drums 200 l or 3 drums 50/60 l or 1 grid shelf with anti-slip device	8104
	Slide-in tray EWG, for stacking frame STRG, collection volume 200 l	8111
	Grid shelf with anti-slip device, for stacking frame STRG	1978
	Standard drum support for 1 drum 50/60 l or 200 l, suitable for stacking frame STRG and drum frame FB1/FB2	1974
	Wheeled drum support, suitable for stacking frame STRG and drum frame FB1/FB2	1976
	Drum support with lift truck guides and tension belt, for 1 drum 50/60 l or 200 l, suitable for drum frame FB1/FB2	1977
	Drum support for 2 drums 200 l, stackable, galvanised	1904
	Access ramp, aluminium L 1500 x W 750 mm	1908
	Access ramp, aluminium L 750 x W 1500 mm	1708
	Grid shelving unit 1000, consisting of: 2 galvanised shelf supports, 6 cantilever arms and 3 grid shelves 1000 x 500 mm loadable up to 120 kg / shelf (uniformly distributed load)	1180
	Grid shelving unit 1200, consisting of: 2 galvanised shelf supports, 6 cantilever arms and 3 grid shelves 1200 x 500 mm loadable up to 120 kg / shelf (uniformly distributed load)	1181
	Grid shelving unit 2000, consisting of: 2 galvanised shelf supports, 6 cantilever arms and 3 grid shelves 2000 x 500 mm loadable up to 120 kg / shelf (uniformly distributed load)	1182
	Drum shelving unit for horizontal storage of 3 drums 50/60 l, consisting of: 2 galvanised shelf supports, 6 cantilever arms and 3 drum supports for drums 50/60 l	1185

### SÄBU Morsbach GmbH

Zum Systembau 1  
Phone: +49 (2294) 694-0  
E-Mail: info@saebu.de

D-51597 Morsbach-Schlechtingen  
Fax: +49 (2294) 694-38  
Internet: www.saebu.de








This document is protected by copyright.  
Duplication, also of excerpts, is only allowed with  
explicit consent of SÄBU Morsbach GmbH.

Subject to technical changes.

## Optional Equipment for



## SAFE Tank ST 400 KTC

	Drum / grid shelving unit for small barrels and 2 drums 50/60 l, consisting of: 2 galvanised shelf supports, 6 cantilever arms, 2 drum supports for drums 50/60 l and 1 grid shelf 600 x 500 mm	1186
	Shelf support made from galvanised steel (2 pcs necessary for one basic shelving unit)	1183
	Cantilever arm for shelf support made from galvanised steel, loadable up to 60 kg/cantilever (2 pcs necessary for one storage level)	1184
	Grid shelf 1000 x 500 mm	1909
	Grid shelf 1200 x 500 mm	8805
	Grid shelf 2000 x 500 mm	1903
	Drum support for 1 drum 50/60 l for shelf supports / cantilever arms	8806

### SÄBU Morsbach GmbH

Zum Systembau 1  
Phone: +49 (2294) 694-0  
E-Mail: info@saebu.de

D-51597 Morsbach-Schlechtingen  
Fax: +49 (2294) 694-38  
Internet: www.saebu.de

This document is protected by copyright.  
Duplication, also of excerpts, is only allowed with  
explicit consent of SÄBU Morsbach GmbH.

Subject to technical changes.